


BROOKE COUNTY




Behavioral Health Epidemiological County Profile

Demographic Data

		Brooke	WV
Population		23,787	1,853,881
Race	White	96.8%	93.6%
	Black	1.6%	3.2%
	Other	1.6%	3.2%
Median age		45.7	41.6
Labor force*		54.5%	54.3%
Median household income*		44,067	41,576
Income below poverty level*		9.7%	13.1%
High school graduate or higher*		90.3%	84.4%
Civilian veterans*		10.3%	10.6%

Source: US Census Bureau, 2014 population estimates, *American Community Survey (2010-2014)



Population by Age Group 2014				
Age	Brooke		WV	
	#	%	#	%
<5	1,000	4.2%	103,044	5.6%
5-14	2,498	10.5%	214,204	11.6%
15-24	3,228	13.6%	238,019	12.8%
25-34	2,214	9.3%	219,567	11.8%
35-44	2,781	11.7%	233,375	12.6%
45-54	3,390	14.3%	263,350	14.2%
55-64	3,885	16.3%	270,697	14.6%
65-74	2,475	10.4%	175,725	9.5%
75-84	1,679	7.1%	98,022	5.3%
85+	637	2.7%	37,878	2.0%

Source: US Census Bureau, 2014 population estimates

Adult Behavioral Health Risk Factors: 2010-2014

Indicator	Brooke	WV	Rank in WV*
Fair/Poor Health	24.9%	25.0%	30
No Health Insurance (ages 18-64)	22.7%	21.5%	22
No Leisure Time Physical Activity	31.2%	31.8%	33
Obesity	37.3%	34.0%	18
Diabetes	15.2%	12.8%	13
Cardiovascular Disease	12.9%	13.3%	27
Current Asthma	9.3%	9.3%	29
Disability	28.9%	29.0%	27
Arthritis	38.5%	36.9%	26
Cancer	11.2%	12.3%	41
Depression	16.7%	21.6%	49

Source: WV Health Statistics Center, Behavioral Risk Factor Surveillance System

*There are 55 counties in West Virginia; 1st highest rate and 55th lowest rate.

INSIDE

Alcohol Consumption	2
Alcohol Risk & Protective Factors	2
Alcohol Consequences	3
Tobacco Consumption	3
Tobacco Risk & Protective Factors	4
Tobacco Consequences	4
Drug Consumption	4
Drug Risk & Protective Factors	5
Drug Consequences	6
Mental Health	6

Alcohol Consumption


Alcohol Use Among Adults: 2010-2014

Indicator	Brooke	WV	Rank in WV*
Binge Drinking	12.9%	10.0%	9

Source: WV Health Statistics Center, Behavioral Risk Factor Surveillance System


*There are 55 counties in West Virginia; 1st highest rate and 55th lowest rate.

Alcohol Use Among Persons 12 and Older



Source: SAMSHA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health (NSDUH), 2010, 2011, 2012, 2013, and 2014 (2010 Data - Revised March 2012).

Note: 2010-2012 & 2012-2014 data was revised March 2012. Region 1 is made up of the following counties: Brooke, Hancock, Marshall, Ohio, and Wetzel.



Source: NSDUH, 2010-2014 (2010 Data - March Revised 2012)

Note: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. See previous definition of Region 1.

Underage Drinking (Those Aged 12-20)

Alcohol Use in the Past Month Among Persons Aged 12 to 20 in Region 1 and WV: 2010-2014

	2010-2012	2012-2014
Region 1	27.8%	22.9%
WV	26.2%	22.2%

Binge Alcohol Use in the Past Month Among Persons Aged 12 to 20 in Region 1 and WV: 2010-2014

	2010-2012	2012-2014
Region 1	21.3%	18.0%
WV	20.1%	17.3%

Source: NSDUH, 2010-2014 (2010 Data - Revised 2012)

Note: See previous definition for and binge drinking among persons 12 and older. See previous definition of Region 1.

Alcohol Risk & Protective Factors

Perceptions of Great Risk of Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week Among Persons Aged 12 or Older in Region 1 and WV: 2010-2014

	2010-2012	2012-2014
Region 1	41.4%	41.2%
WV	41.4%	41.6%

Alcohol Dependence or Abuse in the Past Year Among Persons Aged 12 or Older in Region 1 and WV: 2010-2014

	2010-2012	2012-2014
Region 1	5.4%	6.6%
WV	5.6%	6.2%

Alcohol Dependence in the Past Year Among Persons Aged 12 or Older in Region 1 and WV: 2010-2014

	2010-2012	2012-2014
Region 1	2.8%	3.0%
WV	3.0%	3.1%

Needing But Not Receiving Treatment for Alcohol Use in the Past Year Among Persons Aged 12 or Older in Region 1 and WV: 2010-2014

	2010-2012	2012-2014
Region 1	5.2%	6.4%
WV	5.3%	5.9%

Source: NSDUH, 2010-2014 (2010 Data - Revised March 2012)

Note: Dependence or abuse is based on definitions found in the 4th edition of the Diagnostic and Statistical Manual of Mental Disorders (DSM-IV). Needing But Not Receiving Treatment refers to respondents classified as needing treatment for alcohol, but not receiving treatment for an alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). See previous definition of Region 1.

Alcohol Related Consequences

2013 Morbidity Rates per 10,000 Discharges

	Brooke	WV	Rank in WV*
Alcohol Related Diagnosis	91.1	332.2	29
Alcohol Dependence Diagnosis	92.3	176.3	29

Source: WV Health Care Authority


*There are 55 counties in West Virginia; 1st highest rate and 55th lowest rate.

2010-2014 Mortality Rates per 100,000 population

	Brooke	WV	Rank in WV*
Chronic Liver-Cirrhosis	10.9	15.1	41

Source: WV Health Statistics Center, Vital Statistics System

*There are 55 counties in West Virginia; 1st highest rate and 55th lowest rate.




DUI Arrests in Brooke County and WV: 2010-2014

	2010	2011	2012	2013	2014
Brooke					
Number of DUI arrests	62	77	48	54	97
DUI rate per 10,000 drivers	38.1	47.2	29.6	33.4	60.4
WV					
Number of DUI arrests	6,141	6,705	7,443	7,130	5,834
DUI rate per 10,000 drivers	47.0	51.0	56.9	54.5	44.7

Source: WV State Police UCR Section

Note: The DUI arrest data should be interpreted with caution due to the fact that not all law enforcement agencies have reported their DUI arrests (approximately 100 agencies are missing from this dataset).



Source: National Highway Traffic Safety Administration (NHTSA), Fatality Analysis Reporting System (FARS)

Note: NHTSA estimates alcohol involvement when alcohol test results are unknown. Fatal crash data was not available for 2014 in Brooke County.

Tobacco Consumption


Tobacco Use Among Adults: 2010-2014

Indicator	Brooke	WV	Rank in WV*
Cigarette smoking	30.6%	27.5%	15

Source: WV Health Statistics Center, Behavioral Risk Factor Surveillance System


*There are 55 counties in West Virginia; 1st highest rate and 55th lowest rate.

Tobacco Use Among Persons 12 and Older



Source: NSDUH, 2010-2014 (2010 Data - Revised March 2012)

Note: Tobacco products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. See previous definition of Region 1.



Source: NSDUH, 2010-2014 (2010 Data - Revised March 2012)
 Note: See previous definition of Region 1.

Tobacco Risk & Protective Factors

Perceptions of Great Risk of Smoking One or More Packs of Cigarettes Per Day Among Persons Aged 12 or Older in Region 1 and WV: 2010-2014

	2010-2012	2012-2014
Region 1	66.2%	63.2%
WV	66.5%	63.6%

Source: NSDUH, 2010-2014 (2010 Data - Revised March 2012)
 Note: See previous definition of Region 1.

Tobacco Consequences

2010-2014 Mortality Rates per 100,000 population


	Brooke	WV	Rank in WV*
Lung/Bronchus/Trachea Cancer	85.7	80.2	26
Chronic Obstructive Pulmonary Disease	86.6	81.9	28
Cardiovascular Disease	450.5†	343.4	2

Source: WV Health Statistics Center, Vital Statistics System
 *There are 55 counties in West Virginia; 1st highest rate and 55th lowest rate.
 Significance: † Indicates county was significantly higher than state. †† Indicates state was significantly higher than county.




Drug Consumption


Drug Use Among Persons 12 and Older




Source: NSDUH, 2010-2014 (2010 Data - Revised March 2012)
 Note: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006. See previous definition of Region 1.



Source: NSDUH, 2010-2014 (2010 Data - Revised March 2012)
 Note: Illicit Drugs Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used non-medically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006. See previous definition on Region 1.



Source: NSDUH, 2010-2014 (2010 Data - Revised March 2012)
 Note: See previous definition of Region 1.




Source: NSDUH, 2010-2014 (2010 Data - Revised March 2012)
 Note: See previous definition of Region 1.

	2010-2012	2012-2014
Region 1	4.6%	4.9%
WV	5.6%	5.8%

Source: NSDUH, 2010-2014 (2010 Data - Revised 2012)
 Note: See previous definition of Region 1.

	2010-2012	2012-2014
Region 1	1.3%	1.4%
WV	1.6%	1.4%

Source: NSDUH, 2010-2014 (2010 Data - Revised March 2012)
 Note: Average annual marijuana initiation rate = $100 * \{[X1 \div (0.5 * X1 + X2)] \div 2\}$, where X1 is the number of marijuana initiates in the past 24 months and X2 is the number of persons who never used marijuana. Both of the computation components, X1 and X2, are based on a survey-weighted hierarchical Bayes estimation approach. The age group is based on a respondent's age at the time of the interview, not his or her age at first use. See previous definition of Region 1.



Source: NSDUH, 2010-2014 (2010 Data - Revised 2012)
 Note: See previous definition of Region 1.

Drug Risk & Protective Factors

	2010-2012	2012-2014
Region 1	35.4%	32.3%
WV	37.1%	33.5%

	2010-2012	2012-2014
Region 1	2.4%	2.5%
WV	2.8%	2.8%

	2010-2012	2012-2014
Region 1	1.7%	1.8%
WV	2.1%	2.0%

	2010-2012	2012-2014
Region 1	2.2%	2.3%
WV	2.5%	2.5%

Source: NSDUH, 2010-2014 (2010 Data - Revised March 2012)
 Note: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006. Dependence or abuse is based on definitions found in the 4th edition of the Diagnostic and Statistical Manual of Mental Disorders (DSM-IV). Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs, but not receiving treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). See previous definition of Region 1.

Drug Consequences

2013 Morbidity Rates per 10,000 Discharges

	Brooke	WV	Rank in WV*
Drug Related Diagnosis	88.3	441.5	29

Source: WV Health Care Authority

*There are 55 counties in West Virginia; 1st highest rate and 55th lowest rate.

2010-2014 Mortality Rates per 100,000 population

	Brooke	WV	Rank in WV*
Drug Overdose	42.0	32.0	11

Source: WV Health Statistics Center, Vital Statistics System


*There are 55 counties in West Virginia; 1st highest rate and 55th lowest rate.



Mental Health

Mental Health Among Persons 18 and Older


Percentage of Mental Illness in the Past Year Among Persons Aged 18 and Older in Region 1 and WV: 2012-2014



Source: NSDUH, 2010-2014 (2010 Data - Revised 2012)

Note: See previous definition of Region 1.

Percentage of Having Had at Least One Major Depressive Episode in the Past Year Among Persons Aged 18 or Older in Region 1 and WV: 2010-2014



Source: NSDUH, 2010-2014 (2010 Data - Revised March 2012)

Note: See previous definition of Region 1.

Suicide

Had Serious Thoughts of Suicide in the Past Year Among Persons Aged 18 or Older in Region 1 and WV: 2010-2014

	2010-2012	2012-2014
Region 1	4.4%	4.6%
WV	4.6%	4.6%

Source: NSDUH, 2010-2014 (2010 Data - Revised 2012)

Note: See previous definition of Region 1.

2010-2014 Mortality Rates per 100,000 population

	Brooke	WV	Rank in WV*
Suicide	24.4	17.4	9

Source: WV Health Statistics Center, Vital Statistics System

*There are 55 counties in West Virginia; 1st highest rate and 55th lowest rate.

Significance: † Indicates county was significantly higher than state. ††

Indicates state was significantly higher than county.



Homelessness

Reported Point-In-Time Sheltered Subpopulations in 2015				
	NPC*		WV	
	#	%	#	%
Chronically Homeless	24	25.3%	226	16.1%
Veterans	7	7.4%	227	16.2%
Mental Illness	45	47.4%	410	29.2%
Chronic Substance Abuse	26	27.4%	301	21.5%
Total Sheltered	95		1,403	
Reported Point-In-Time Unsheltered Subpopulations in 2015				
	NPC*		WV	
	#	%	#	%
Chronically Homeless	17	89.5%	160	37.0%
Veterans	2	10.5%	78	18.1%
Mental Illness	15	78.9%	198	45.8%
Chronic Substance Abuse	9	47.4%	154	35.6%
HIV/AIDS	NA	NA	3	0.7%
Domestic Violence	NA	NA	66	15.3%
Total Unsheltered	19		432	

Source: West Virginia Coalition to End Homelessness, West Virginia Point in Time Count Statewide Report, January 2015

Note: The Point-in-Time Count is conducted during one night in the end of January for a count of all homeless persons. The unsheltered count of the homeless population is likely underreported and should be used with caution. Subpopulation data is not mutually exclusive. Comparing the total is not an accurate representation as one person may have all five characteristics, while some persons may only have one or fewer. *The Northern Panhandle Continuum (NPC) is made up of the following counties: Brooke, Hancock, Marshall, Ohio and Wetzel.

Domestic Violence

Individuals Served by the West Virginia Coalition Against Domestic Violence (WVCADV) by Shelter Status in Brooke County in 2012	
Shelter Status	Number
Sheltered	*
Non-sheltered	75

Domestic Violence Survivors Served by WVCADV by Behavioral Health Status in Brooke County in 2012

Behavioral Health Status	Number	Percent
Identified as having a mental disability	*	*
Referred to a mental health provider	7	9.1%

Domestic Violence Abusers Served by WVCADV by Behavioral Health Status in Brooke County in 2012

Behavioral Health Status	Number	Percent
Substance abuse identified as contributing to abuse	56	38.4%
Referred to a mental health provider	*	*

Source: WV Coalition Against Domestic Violence

Note: All indicators are self-reported from the survivor.

*Values based on 5 or fewer are suppressed to protect the confidentiality of the person.

For additional resources visit the West Virginia Department of Health and Human Resources, Bureau for Behavioral Health and Health Facilities (BBHFF) at:
www.wvdhhr.org/bhhf