


# PENDLETON COUNTY




## Behavioral Health Epidemiological County Profile

### Demographic Data

		Pendleton	WV
<b>Population</b>		7,525	1,853,881
<b>Race</b>	White	95.9%	93.6%
	Black	2.8%	3.2%
	Other	1.3%	3.2%
<b>Median age</b>		48.7	41.6
<b>Labor force*</b>		50.9%	54.3%
<b>Median household income*</b>		36,052	41,576
<b>Income below poverty level*</b>		14.2%	13.1%
<b>High school graduate or higher*</b>		81.0%	84.4%
<b>Civilian veterans*</b>		12.7%	10.6%

Source: US Census Bureau, 2014 population estimates, \*American Community Survey (2010-2014)

**Percentage of Population by Age Group, Pendleton and WV 2014**



**Population by Age Group 2014**

Age	Pendleton		WV	
	#	%	#	%
<5	356	4.7%	103,044	5.6%
5-14	784	10.4%	214,204	11.6%
15-24	798	10.6%	238,019	12.8%
25-34	710	9.4%	219,567	11.8%
35-44	772	10.3%	233,375	12.6%
45-54	1,122	14.9%	263,350	14.2%
55-64	1,247	16.6%	270,697	14.6%
65-74	911	12.1%	175,725	9.5%
75-84	556	7.4%	98,022	5.3%
85+	269	3.6%	37,878	2.0%

Source: US Census Bureau, 2014 population estimates

### Adult Behavioral Health Risk Factors: 2010-2014

Indicator	Pendleton	WV	Rank in WV*
Fair/Poor Health	22.4%	25.0%	40
No Health Insurance (ages 18-64)	19.8%§	21.5%	45
No Leisure Time Physical Activity	30.6%	31.8%	35
Obesity	42.5%§	34.0%	4
Diabetes	15.8%	12.8%	7
Cardiovascular Disease	12.3%	13.3%	35
Current Asthma	13.7%	9.3%	5
Disability	25.3%	29.0%	43
Arthritis	39.9%§	36.9%	21
Cancer	12.7%	12.3%	20
Depression	24.5%§	21.6%	12

Source: WV Health Statistics Center, Behavioral Risk Factor Surveillance System

\*There are 55 counties in West Virginia; 1<sup>st</sup> highest rate and 55<sup>th</sup> lowest rate. Significance: † Indicates county was significantly higher than state. †† Indicates state was significantly higher than county. § Indicates unreliable prevalence estimate - use caution when reporting and interpreting.

#### INSIDE

Alcohol Consumption	2
Alcohol Risk & Protective Factors	2
Alcohol Consequences	3
Tobacco Consumption	3
Tobacco Risk & Protective Factors	4
Tobacco Consequences	4
Drug Consumption	4
Drug Risk & Protective Factors	5
Drug Consequences	6
Mental Health	6

## Alcohol Consumption


### Alcohol Use Among Adults: 2010-2014

Indicator	Pendleton	WV	Rank in WV*
Binge Drinking	5.6%§	10.0%	50

Source: WV Health Statistics Center, Behavioral Risk Factor Surveillance System


\*There are 55 counties in West Virginia; 1<sup>st</sup> highest rate and 55<sup>th</sup> lowest rate. Significance: † Indicates county was significantly higher than state. †† Indicates state was significantly higher than county. § Indicates unreliable prevalence estimate - use caution when reporting and interpreting.

### Alcohol Use Among Persons 12 and Older



Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, (NSDUH) 2010, 2011, 2012, 2013, and 2014 (2010 Data - Revised March 2012)

Note: Region 2 is made up of the following counties: Berkeley, Grant, Hampshire, Hardy, Jefferson, Mineral, Morgan, and Pendleton.



Source: NSDUH, 2010-2014 (2010 Data – Revised March 2012)

Note: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. See previous definition of Region 2.

### Underage Drinking (Those Aged 12-20)

#### Alcohol Use in the Past Month Among Persons Aged 12 to 20 in Region 2 and WV: 2010-2014

	2010-2012	2012-2014
Region 2	25.9%	20.6%
WV	26.2%	22.2%

#### Binge Alcohol Use in the Past Month Among Persons Aged 12 to 20 in Region 2 and WV: 2010-2014

	2010-2012	2012-2014
Region 2	18.8%	15.4%
WV	20.1%	17.3%

Source: NSDUH, 2010-2014 (2010 Data – Revised March 2012)

Note: See previous definition for binge drinking among persons 12 and older. See previous definition of Region 2.

## Alcohol Risk & Protective Factors

#### Perceptions of Great Risk of Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week Among Persons Aged 12 or Older in Region 2 and WV: 2010-2014

	2010-2012	2012-2014
Region 2	40.2%	40.9%
WV	41.4%	41.6%

#### Alcohol Dependence or Abuse in the Past Year Among Persons Aged 12 or Older in Region 2 and WV: 2010-2014

	2010-2012	2012-2014
Region 2	5.5%	6.8%
WV	5.6%	6.2%

#### Alcohol Dependence in the Past Year Among Persons Aged 12 or Older in Region 2 and WV: 2010-2014

	2010-2012	2012-2014
Region 2	2.8%	3.2%
WV	3.0%	3.1%

#### Needing But Not Receiving Treatment for Alcohol Use in the Past Year Among Persons Aged 12 or Older in Region 2 and WV: 2010-2014

	2010-2012	2012-2014
Region 2	5.3%	6.4%
WV	5.3%	5.9%

Source: NSDUH, 2010-2014 (2010 Data – Revised March 2012)

Note: Dependence or abuse is based on definitions found in the 4<sup>th</sup> edition of the Diagnostic and Statistical Manual of Mental Disorders (DSM-IV). Needing But Not Receiving Treatment refers to respondents classified as needing treatment for alcohol, but not receiving treatment for an alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). See previous definition of Region 2.

## Alcohol Related Consequences

### 2013 Morbidity Rates per 10,000 Discharges

	Pendleton	WV	Rank in WV*
Alcohol Related Diagnosis	NA	332.2	NA
Alcohol Dependence Diagnosis	NA	176.3	NA

Source: WV Health Care Authority

\*There are 55 counties in West Virginia; 1<sup>st</sup> highest rate and 55<sup>th</sup> lowest rate.

NA indicates rates are suppressed due to unreliability.

### 2010-2014 Mortality Rates per 100,000 population


	Pendleton	WV	Rank in WV*
Chronic Liver-Cirrhosis	NA	15.1	50

Source: WV Health Statistics Center, Vital Statistics System

\*There are 55 counties in West Virginia; 1<sup>st</sup> highest rate and 55<sup>th</sup> lowest rate.

Significance: † Indicates county was significantly higher than state. ††

Indicates state was significantly higher than county. NA indicates rates are suppressed due to unreliability.



Source: National Highway Traffic Safety Administration (NHTSA), Fatality Analysis Reporting System (FARS)

Note: NHTSA estimates alcohol involvement when alcohol test results are unknown.

## Tobacco Consumption

### Tobacco Use Among Adults: 2010-2014

Indicator	Pendleton	WV	Rank in WV*
Cigarette smoking	23.4%§	27.5%	48


Source: WV Health Statistics Center, Behavioral Risk Factor Surveillance System

\*There are 55 counties in West Virginia; 1<sup>st</sup> highest rate and 55<sup>th</sup> lowest rate.

Significance: † Indicates county was significantly higher than state. ††

Indicates state was significantly higher than county. § Indicates unreliable prevalence estimate - use caution when reporting and interpreting.


### Tobacco Use Among Persons 12 and Older



Source: NSDUH, 2010-2014 (2010 Data – Revised March 2012)

Note: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars or pipe tobacco. See previous definition of Region 2.

### DUI Arrest in Pendleton County and WV: 2010-2014




### DUI Arrests in Pendleton County and WV: 2010-2014

	2010	2011	2012	2013	2014
<b>Pendleton</b>					
Number of DUI arrests	14	10	17	21	12
DUI rate per 10,000 drivers	23.7	16.9	28.8	35.9	20.5
<b>WV</b>					
Number of DUI arrests	6,141	6,705	7,443	7,130	5,834
DUI rate per 10,000 drivers	47.0	51.0	56.9	54.5	44.7

Source: WV State Police UCR Section

Note: The DUI arrest data should be interpreted with caution due to the fact that not all law enforcement agencies have reported their DUI arrests (approximately 100 agencies are missing from this dataset).



Source: NSDUH, 2010-2014 (2010 Data – Revised March 2012)  
 Note: See previous definition of Region 2.

## Tobacco Risk & Protective Factors

Perceptions of Great Risk of Smoking One or More Packs of Cigarettes Per Day Among Persons Aged 12 or Older in Region 2 and WV: 2010-2014

	2010-2012	2012-2014
<b>Region 2</b>	66.2%	65.6%
<b>WV</b>	66.5%	63.6%

Source: NSDUH, 2010-2014 (2010 Data- Revised March 2012)  
 Note: See previous definition of Region 2.

## Tobacco Consequences

2010-2014 Mortality Rates per 100,000 population


	Pendleton	WV	Rank in WV*
<b>Lung/Bronchus/Trachea Cancer</b>	72.1	80.2	42
<b>Chronic Obstructive Pulmonary Disease</b>	80.1	81.9	34
<b>Cardiovascular Disease</b>	424.4†	343.4	9

Source: WV Health Statistics Center, Vital Statistics System  
 \*There are 55 counties in West Virginia; 1<sup>st</sup> highest rate and 55<sup>th</sup> lowest rate.  
 Significance: † Indicates county was significantly higher than state. †† Indicates state was significantly higher than county.




## Drug Consumption

Drug Use Among Persons 12 and Older




Source: NSDUH, 2010-2014 (2010 Data – Revised March 2012)  
 Note: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006. See previous definition of Region 2.


Percentage of Illicit Drug Use Other Than Marijuana in the Past Month Among Persons Aged 12 or Older in Region 2 and WV: 2010-2014



Source: NSDUH, 2010-2014 (2010 Data – Revised March 2012)  
 Note: Illicit Drugs Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006. See previous definition of Region 2.



Source: NSDUH, 2010-2014 (2010 Data – Revised March 2012)  
 Note: See previous definition of Region 2.



Source: NSDUH, 2010-2014 (2010 Data – Revised March 2012)  
 Note: See previous definition of Region 2.

## Drug Risk & Protective Factors

	2010-2012	2012-2014
Region 2	5.6%	5.9%
WV	5.6%	5.8%

Source: NSDUH, 2010-2014 (2010 Data – Revised March 2012)  
 Note: See previous definition of Region 2.

	2010-2012	2012-2014
Region 2	33.5%	31.1%
WV	37.1%	33.5%

	2010-2012	2012-2014
Region 2	2.4%	2.6%
WV	2.8%	2.8%


	2010-2012	2012-2014
Region 2	2.1%	1.9%
WV	2.1%	2.0%

	2010-2012	2012-2014
Region 2	2.1%	2.3%
WV	2.5%	2.5%

Source: NSDUH, 2010-2014 (2010 Data – Revised March 2012)  
 Note: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006. Dependence or abuse is based on definitions found in the 4<sup>th</sup> edition of the Diagnostic and Statistical Manual of Mental Disorders (DSM-IV). Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs, but not receiving treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). See previous definition of Region 2.

	2010-2012	2012-2014
Region 2	2.0%	1.9%
WV	1.6%	1.4%

Source: NSDUH, 2010-2014 (2010 Data – Revised March 2012)  
 Note: Average annual marijuana initiation rate =  $100 * \{[X1 \div (0.5 * X1 + X2)] \div 2\}$ , where X1 is the number of marijuana initiates in the past 24 months and X2 is the number of persons who never used marijuana. Both of the computation components, X1 and X2, are based on a survey-weighted hierarchical Bayes estimation approach. The age group is based on a respondent's age at the time of the interview, not his or her age at first use. See previous definition of Region 2.



Source: NSDUH, 2010-2014 (2010 Data – Revised March 2012)  
 Note: See previous definition of Region 2.

## Drug Consequences

### 2013 Morbidity Rates per 10,000 Discharges

	Pendleton	WV	Rank in WV*
Drug Related Diagnosis	NA	441.5	NA

Source: WV Health Care Authority

\*There are 55 counties in West Virginia; 1<sup>st</sup> highest rate and 55<sup>th</sup> lowest rate. NA Indicates rates are suppressed due to unreliability.

### 2010-2014 Mortality Rates per 100,000 population

	Pendleton	WV	Rank in WV*
Drug Overdose	NA	32.0	46

Source: WV Health Statistics Center, Vital Statistics System

\*There are 55 counties in West Virginia; 1<sup>st</sup> highest rate and 55<sup>th</sup> lowest rate.


Significance: † Indicates county was significantly higher than state. ††

Indicates state was significantly higher than county. NA indicates rates are suppressed due to unreliability.




## Mental Health

### Mental Health Among Persons 18 and Older



Source: NSDUH, 2010-2014 (2010 Data – Revised March 2012)

Note: See previous definition of Region 2.



Source: NSDUH, 2010-2014 (2010 Data – Revised March 2012)

Note: See previous definition of Region 2.

## Suicide

### Had Serious Thoughts of Suicide in the Past Year Among Persons Aged 18 or Older in Region 2 and WV: 2010-2014

	2010-2012	2012-2014
Region 2	5.0%	4.9%
WV	4.6%	4.6%

Source: NSDUH, 2010-2014 (2010 Data – Revised March 2012)

Note: See previous definition of Region 2.

### 2010-2014 Mortality Rates per 100,000 population

	Pendleton	WV	Rank in WV*
Suicide	NA	17.4	20

Source: WV Health Statistics Center, Vital Statistics System

\*There are 55 counties in West Virginia; 1<sup>st</sup> highest rate and 55<sup>th</sup> lowest rate.

Significance: † Indicates county was significantly higher than state. ††

Indicates state was significantly higher than county. NA indicates rates are suppressed due to unreliability.



## Homelessness

Reported Point-In-Time Sheltered Subpopulations in 2015				
	Pendleton*		WV	
	#	%	#	%
Chronically Homeless	0	0%	226	16.1%
Veterans	0	0%	227	16.2%
Mental Illness	0	0%	410	29.2%
Chronic Substance Abuse	0	0%	301	21.5%
<b>Total Sheltered</b>	0		1,403	

Reported Point-In-Time Unsheltered Subpopulations in 2015				
	Pendleton		WV	
	#	%	#	%
Chronically Homeless	2	100.0%	160	37.0%
Veterans	1	50.0%	78	18.1%
Mental Illness	2	100.0%	198	45.8%
Chronic Substance Abuse	1	50.0%	154	35.6%
HIV/AIDS	0	0%	3	.70%
Domestic Violence	1	50.0%	66	15.3%
<b>Total Unsheltered</b>	2		432	

Source: West Virginia Coalition to End Homelessness, West Virginia Point in Time Count Statewide Report, January 2015  
 Note: The Point-in-Time Count is conducted during one night in the end of January for a count of all homeless persons. The unsheltered count of the homeless population is likely underreported and should be used with caution. Subpopulation data is not mutually exclusive. Comparing the total is not an accurate representation as one person may have all five characteristics, while some persons may only have one or fewer. \*There were no shelter facilities in Pendleton County during the Point-in-Time Count.

## Domestic Violence

### Individuals Served by the West Virginia Coalition Against Domestic Violence (WVCADV) by Shelter Status in Pendleton County in 2012

Shelter Status	Number
Sheltered	29
Non-sheltered	342

### Domestic Violence Survivors Served by WVCADV by Behavioral Health Status in Pendleton County in 2012

Behavioral Health Status	Number	Percent
Identified as having a mental disability	*	*
Referred to a mental health provider	18	16.8%

### Domestic Violence Abusers Served by WVCADV by Behavioral Health Status in Pendleton County in 2012

Behavioral Health Status	Number	Percent
Substance abuse identified as contributing to abuse	104	35.1%
Referred to a mental health provider	*	*

Source: WV Coalition Against Domestic Violence  
 Note: All indicators are self-reported from the survivor.  
 \*Values based on 5 or fewer are suppressed to protect the confidentiality of the person.

For additional resources visit the West Virginia Department of Health and Human Resources, Bureau for Behavioral Health and Health Facilities (BBHF) at:  
[www.wvdhhr.org/bhhf](http://www.wvdhhr.org/bhhf)